

WERKS®

The Quality is in the Detail



BACKSAFE
australia

WERKS®

A robust range of European-engineered storage options

When quality, safety, strength, versatility and durability really matter in your specific storage application, don't compromise ... demand the WERKS®

European designed and precision engineered this corporate range is ideal for heavy industrial and commercial applications including mining, Defence, Engineering, Workshops, Hospitality, Hospitals and Health Departments, Food Manufacturing, Retail, Warehousing and Distribution Centres, Universities, Colleges ... and more.

WERKS® has a proven reputation in Europe as well as Australia for its ability to perform to world class standards in at least six key areas:

Strength

With double skin doors, generously engineered body panels and shelving systems which are designed to accept loads of up to 1.65 tonnes per cabinet, the WERKS® is no lightweight storage solution. Greater rigidity, heavy duty finish and superior gauge steel ensures that even the doors can accept significant storage loads and distortion is avoided.

Durability

German engineering is legendary for its ability to withstand the stresses and strains of heavy duty day-to-day use, and the WERKS® range is no exception. High quality storage is an investment in the future, and every component in this robust system is built to last.

Design

It is not just the engineering that set the WERKS® apart from the rest – it is the astute thinking that underwrites the design of every component within this system. The WERKS® exudes design flair and intelligence – and it makes all the difference.

Versatility

The WERKS® is arguably the most versatile and adaptable heavy duty storage system available in Australia today. A vast range of configuration options are available so that you can design your own system to precisely match your existing requirements with the future in mind. Features include:

- Generous cabinet depth of 600mm to accommodate substantial tool storage options attached to the doors
- Numerous door options including Perspex for visibility
- Concealed hinges, and the ability to swap outdoors upon demand
- Internal door slots for bins, and perforations for hooks – the variations are endless
- The ability to convert your cabinet into a fully functioning workbench and adaptable workspace
- The range is complemented with compatible mobile stands - and Megabench workbenches capable of accepting loads of 6000kg.

Safety

The WERKS® range is conceived with the ultimate in safety as well as zero harm in mind and includes:

Colour coded options with a variety of shadow boards, screw-secured hooks, the ability to anchor the cabinets in a variety of ways and even sloping roof panel options so that heavy items cannot be stored on cabinet tops.

In addition to European styling, strength and durability, all WERKS® cabinets may be securely anchored to floors as well as walls.

Security

Each WERKS® cabinet is fitted with a 3 point locking mechanism. With a substantial installed base in some of Australia's largest mining and resource companies, the WERKS® storage system is the choice for organisations that demand the best, and insist on uncompromising engineering.

The Quality is in the Detail



Perforated Panel System	page 4
Perforated Panel System Tool Holders	
Tool Holders	page 5-7
Toolholder Assortments for Perforated Panels	
Slotted Panel System	page 8
Stacking Bins for Slotted Panels	
Slotted Panel Accessories	page 9
Partition Walls	page 10-11
Partitions	page 12
Component and Workshop Trolleys	page 13
Workplace Tool Cabinets	page 14
Accessories	
Wall Cabinets	page 15
Tool Cabinets	
High Capacity Cabinets	page 16 -19
Transport Trolleys	
Tool Cabinets	page 19 - 20
Drawer Cabinets	page 21
Heavy Duty Cabinet 1.65 Tonne Capacity	page 22 - 23
Vertical Drawer Cabinets	page 24
Cabinets	page 25
Tool Cabinets with Retractable Panels	
Mega Bench	page 26
Standing Aids	page 27




WERKS® Perforated Panel System

The systematic path to organisation with WERKS® can be used in many different ways from the single perforated panel on the wall to partition walls, trolleys to tool cabinets with re-tractable panels.

The original WERKS® perforated panel can be mounted vertically and horizontally.

- Steel panel 1.25 mm thick,
- 10 x 10 mm perforated.
- Chamfered all round and reinforced with specially shape bearers.
- Suitable for wall mounting. Impact and Scratch resistant plastic coating.
- Concealed screw holes.

Dimensions of perforated panel W x H				
Colour	500 x 450mm	1000 x 450mm	1500 x 450mm	2000 x 450mm
Sky blue	4001.00.0510	4001.00.1010	4001.00.1510	4001.00.2010
Gentian blue	4001.00.0521	4001.00.1021	4001.00.1521	4001.00.2021
Reseda green	4001.00.0512	4001.00.1012	4001.00.1512	4001.00.2012
Traffic-light red	4001.00.0514	4001.00.1014	4001.00.1514	4001.00.2014
Amber	4001.00.0511	4001.00.1011	4001.00.1511	4001.00.2011
Light grey	4001.00.0513	4001.00.1013	4001.00.1513	4001.00.2013
Slate grey	4001.00.0519	4001.00.1019	4001.00.1519	4001.00.2019
Pure white	4001.00.0517	4001.00.1017	4001.00.1517	4001.00.2017
Light blue	4001.00.0518	4001.00.1018	4001.00.1518	4001.00.2018
Deep black	4001.00.0515	4001.00.1015	4001.00.1515	4001.00.2015



Workbench brackets	Code
for 1 panel	4001.00.0510
for 2 panels above each other (are required in pairs)	4470.00.0501



WERKS® Tool Holders

WERKS® tool holders create organisation and order. The WERKS® range has the right holder for every tool imaginable. Robust and stable, designed for long-lasting industrial use. Impact and scratch-resistant plastic coating. Pressed 1.5mm thick baseplate, including original WERKS® screw



Tool Holder with Vertical hook		
L	Ømm	Code
35	6	4040.00.0501
75	6	4040.00.0701
125	6	4040.00.0801



Tool holder with Straight pin		
L	Ømm	Code
50	6	4040.00.1801
100	6	4040.00.1901
150	6	4040.00.2001



Tool holder with single Straight pin		
L	Ømm	Code
50	6	4040.00.1501
100	6	4040.00.1601
150	6	4040.00.1701



Pipe Bracket also for Hoses, Cables etc		
L	Ømm	Code
35	60	4042.00.0101
35	100	4042.00.0201



Double tool holder with Vertical hook		
L	Ømm	Code
35	6	4040.00.1001
50	6	4040.00.1101
75	6	4040.00.1201
150	6	4040.00.1401




Angled hook for bolts and socket keys		
L	Ømm	Code
14/40	6	4040.00.2101



Toolholder with angle hook end		
L	Ømm	Code
50	6	4040.00.0101
100	6	4040.00.0201
150	6	4040.00.0301
200	6	4040.00.0401

The WERKS® original locking screw
Quality in the detail!



WERKS® Tool Holders (continued)



Single tool clip, Small baseplate	
Ømm	Code
6	4043.00.0101
10	4043.00.0201
13	4043.00.0301
16	4043.00.0401
19	4043.00.0501



Double tool clip	
Ømm	Code
6	4043.00.0601
10	4043.00.0701
13	4043.00.0801
16	4043.00.0901
19	4043.00.1001



Single tool clip, large baseplate	
Ømm	Code
25	4043.00.1101
28	4043.00.1201
32	4043.00.1301



Holder for pliers		
W (mm)	D (mm)	Code
35	20	4040.00.2201
55	20	4040.00.2301
75	20	4040.00.2401



Baseplate for individual uses	
Code	
4044.00.0201	small
4044.00.0301	large



Rounded holder		
L (mm)	W (mm)	Code
65	25	4040.00.2501



Tool holder	
Ømm	Code
40	4040.00.2601
60	4040.00.2701
80	4040.00.2801



Tool holder for self-serve packs		
L (mm)	W (mm)	Code
125	30	4040.00.3301



Holder for 6 tools		
L (mm)	W (mm)	Code
140	240	4040.00.2901



Cable holder hook, 50mm in height		
L (mm)	W (mm)	Code
150	37	4040.00.3101
200	37	4040.00.3201



Holder for 3 tools		
L (mm)	W (mm)	Code
150	45	4040.00.3001




Magnetic holder	
Ømm	Code
40	4044.00.0101



Saw holder (supplied in pairs)	
Code	
Holds 4 saws	4042.00.0301



Combination holder in two parts		
L (mm)	W (mm)	Code
150	55	4042.00.0901



Magnets, as document holders, in packs of 10		
		Code
round	blue	4044.00.1650
round	red	4044.00.1651
square	blue	4044.00.1550
square	red	4044.00.1551

WERKS® Tool Holders (continued)



Vertical ring spanner holder for 10 spanners, 50mmD		
H (mm)	W (mm)	Code
255	125/225	4042.00.2201



Vertical spanner holder for 10 spanners, 50mmD		
H (mm)	W (mm)	Code
220	75/145	4042.00.2101




Horizontal spanner holder for 8 spanners	
Code	
4042.00.2001	



Bit holder for 7 bits		
W (mm)	D (mm)	Code
150	5	4042.00.2301



Drill holder / Allen key holder (various Ø mm)	
Capacity	Code
14 items	4042.00.2801
28 items	4042.00.3301



Allen key holder for 9 keys, 1-11mm		
W (mm)	H (mm)	Code
200	70	4042.00.2401



Can holder with Ø 70mm, width 100/300mm	
Capacity	Code
1 can	4042.00.1101
3 cans	4042.00.1201



Screwdriver holder	
Capacity	Code
6 items	4042.00.2601
12 items	4042.00.2701



Socket holder for 12 sockets		
W (mm)	H (mm)	Code
390	30	4042.00.2401



Hose holder		
W (mm)	D (mm)	Code
230	125	4042.00.3101



Single open-front bin holder for size 7 and 8 bins	
Bins	Code
1 bin	4042.00.0401



Tool holder for MK-2 & MK-3	
	Code
MK-2	4042.00.2901
MK-3	4042.00.3001

WERKS® Tool Holders (continued)



Shelf		
W (mm)	D (mm)	Code
350	125	4042.00.1801
445	150	4042.00.1901



Bracket for Plastic Bins Size 7		
Bins	L (mm)	Code
5 bins	550	4042.00.0701
9 bins	990	4042.00.0801



Bracket for Plastic Bins Size 8		
Bins	L (mm)	Code
5 bins	550	4042.00.0501
9 bins	990	4042.00.0601



DIN A3 form holder	
Colour	Code
light grey	4470.00.0213
gentian blue	4470.00.0221



DIN A4 Brochure holder	
Colour	Code
light grey	4470.00.0313
gentian blue	4470.00.0321



DIN A4 form holder	
Colour	Code
light grey	4470.00.0113
gentian blue	4470.00.0121




Tool retainer for self-drilling		
L (mm)	D (mm)	Code
120	45	4044.00.0401
390	45	4044.00.0501

WERKS® Toolholder Assortments for Perforated Panels

In use, for use: complete assortment of tool holders

Assortment Kits	
Number of Pieces	Code
10-piece	4027.01.0001
12-piece	4027.02.0001
15-piece	4027.03.0001
18-piece	4027.04.0001
28-piece	4027.05.0001
40-piece	4027.06.0001




WERKS® Slotted Panel System

Mounting grids:

The original systematic way to create order.
Steel panel 1.25mm thick, chamfered all round and strengthened with specially shaped bearers.
Suitable for wall-mounting.
Impact and scratch-resistant plastic coating.



- 10 standard colours
- 7 sizes
- 7 applications



Dimensions of slotted panel W x H							
Colour	500 x 450mm	1000 x 450mm	1500 x 450mm	2000 x 450mm	450 x 1000mm	450 x 1500mm	450 x 2000mm
Sky blue	4202.00.0510	4202.00.1010	4202.00.1510	4202.00.2010	4202.00.3010	4202.00.3510	4202.00.4010
Gentian blue	4202.00.0521	4202.00.1021	4202.00.1521	4202.00.2021	4202.00.3021	4202.00.3521	4202.00.4021
Reseda green	4202.00.0512	4202.00.1012	4202.00.1512	4202.00.2012	4202.00.3012	4202.00.3512	4202.00.4012
Traffic-light red	4202.00.0514	4202.00.1014	4202.00.1514	4202.00.2014	4202.00.3014	4202.00.3514	4202.00.4014
Amber	4202.00.0511	4202.00.1011	4202.00.1511	4202.00.2011	4202.00.3011	4202.00.3511	4202.00.4011
Light grey	4202.00.0513	4202.00.1013	4202.00.1513	4202.00.2013	4202.00.3013	4202.00.3513	4202.00.4013
Slate grey	4202.00.0519	4202.00.1019	4202.00.1519	4202.00.2019	4202.00.3019	4202.00.3519	4202.00.4019
Pure white	4202.00.0517	4202.00.1017	4202.00.1517	4202.00.2017	4202.00.3017	4202.00.3517	4202.00.4017
Light blue	4202.00.0518	4202.00.1018	4202.00.1518	4202.00.2018	4202.00.3018	4202.00.3518	4202.00.4018
Deep black	4202.00.0515	4202.00.1015	4202.00.1515	4202.00.2015	4202.00.3015	4202.00.3515	4202.00.4015

WERKS® Stacking Bins for Slotted Panels

The special design of the rail enables the user to remove and replace the storage bins horizontally, be they full or empty.
No more spilling the contents.
Design on the reverse side:
WERKS® slotted panels have specially shaped supports welded to the back to add extra strength and stability.



Open-front bins	290x140x130 (mm)	230x140x130 (mm)	160x105x75 (mm)	85x105x45 (mm)
Colour	size 5	size 6	size 7	size 8
Green	6004.00.0353	6004.00.0453	6004.00.0553	6004.00.0653
Blue	6004.00.0350	6004.00.0450	6004.00.0550	6004.00.0650
Grey	6004.00.0354	6004.00.0454	6004.00.0554	6004.00.0654
Red	6004.00.0351	6004.00.0451	6004.00.0551	6004.00.0651
Yellow	6004.00.0352	6004.00.0452	6004.00.0552	6004.00.0652
White label	6068.00.6465	6068.00.6465	6068.00.6665	6068.00.6765
Transparent label	6068.00.6466	6068.00.6466	6068.00.6666	6068.00.6766

WERKS® Slotted Panel Accessories



Base plate for labelling
4262.00.0301



Adapter to adapt perforated panel tool holders to the slotted panel
4262.00.0401



Tube support, Ø mm 20mm

L (mm)	Code
160	4260.00.0601



Universal round holder, Ø mm 12mm

L (mm)	Code
200	4260.00.0101
300	4260.00.0201



Universal square holder, 15 x 15mm

L (mm)	Code
200	4260.00.0301
300	4260.00.0401



Fork support, 40 mm clearance

L (mm)	Code
200	4260.00.0701



Pin support, 60mm width (supplied in pairs)

L (mm)	Code
140	4260.00.0801



Corrugated support, 55 mm separation of corrugations (supplied in pairs)

L (mm)	W (mm)	Code
200	40	4260.00.0901



Steel shelf

L (mm) x D (mm)	Gentian blue	Light Grey
500 x 250	4262.00.0121	4262.00.0113
1000 x 250	4262.00.0221	4262.00.0213



DIN A3 form holder

Colour	Code
Light grey	4470.00.0213
Gentian blue	4470.00.0221



DIN A4 Brochure holder

Colour	Code
Light grey	4470.00.0313
Gentian blue	4470.00.0321



DIN A4 form holder


Colour	Code
Light grey	4470.00.0113
Gentian blue	4470.00.0121

WERKS® Partition Walls

No matter whether you are after a wall system to divide up rooms and workspaces, or simultaneously provide a working wall, anywhere where space needs to be divided, the WERKS® Partition Walls system is the one for you.




Dividing wall elements for you to construct your own dividing wall solutions

Standing units		
Support	Aluminium colour	Black
End support	7280.00.9501	7280.00.9515
Centre support 90°	7281.00.9501	7281.00.9515
Centre support 135°	7282.00.9501	7282.00.9515
Centre support 180°	7283.00.9501	7283.00.9515
Centre support "Crosspiece"	7284.00.9501	7284.00.9515
Connecting elements (supplied in pairs)		
Cross connector	Aluminium colour	Black
1000 mm	7290.00.9501	7290.00.9515
1500 mm	7291.00.9501	7291.00.9515
2000 mm	7292.00.9501	7292.00.9515
Perforated panels		
H x W mm	Light grey	Gentian blue
2000 x 450	4001.00.2013	4001.00.2021
1500 x 450	4001.00.1513	4001.00.1521
Slotted panels		
H x W mm	Light grey	Gentian blue
2000 x 450	4202.00.4013	4202.00.4021
1500 x 450	4202.00.3513	4202.00.3521




Can be fitted with perforated or slotted panels on both sides.

WERKS® Partition with perforated panels






Individual panel						
Panel length	1000mm		1500mm		2000mm	
Number of perforated panels	2		3		4	
Panel colour	Light grey	Gentian blue	Light grey	Gentian blue	Light grey	Gentian blue
Panel height 1500 mm	7202.00.0113	7202.00.0121	7203.00.0413	7203.00.0421	7204.00.0813	7204.00.0821
Panel height 2000 mm	7240.00.0113	7240.00.0121	7241.00.0413	7241.00.0421	7242.00.0813	7242.00.0821
Double Panel 180°						
Panel length	1500 / 1500mm		1500 / 1500mm		2000 / 2000mm	
Number of perforated panels	6		6		8	
Panel colour	Light grey	Gentian blue	Light grey	Gentian blue	Light grey	Gentian blue
Panel height 1500 mm	7211.00.1913	7211.00.1921	7212.00.2613	7212.00.2621	7213.00.3413	7213.00.3421
Panel height 2000 mm	7246.00.1913	7246.00.1921	7247.00.2613	7247.00.2621	7248.00.3413	7248.00.3421
Double Panel 90°						
Panel length	1000 / 1000mm		1000 / 1500mm		1000 / 2000mm	
Number of perforated panels	4		5		6	
Panel colour	Light grey	Gentian blue	Light grey	Gentian blue	Light grey	Gentian blue
Panel height 1500 mm	7225.00.0813	7225.00.0821	7226.00.1313	7226.00.1321	7227.00.1913	7227.00.1921
Panel height 2000 mm	7260.00.0813	7260.00.0821	7261.00.1313	7261.00.1321	7262.00.1913	7262.00.1921
Double Panel 90°						
Panel length	1500 / 1500mm		1500 / 2000mm		2000 / 2000mm	
Number of perforated panels	6		7		8	
Panel colour	Light grey	Gentian blue	Light grey	Gentian blue	Light grey	Gentian blue
Panel height 1500 mm	7228.00.1913	7228.00.1921	7229.00.2613	7229.00.2621	7230.00.3413	7230.00.3421
Panel height 2000 mm	7263.00.1913	7263.00.1921	7264.00.2613	7264.00.2621	7265.00.3413	7265.00.3421

WERKS® Partition Walls




Individual panel						
Panel length	1000mm		1500mm		2000mm	
Number of perforated/slotted panels	1 / 1		2 / 1		2 / 2	
Panel colour	Light grey	Gentian blue	Light grey	Gentian blue	Light grey	Gentian blue
Panel height 1500 mm	7202.00.0313	7202.00.0321	7203.00.0613	7203.00.0621	7204.00.1113	7204.00.1121
Panel height 2000 mm	7240.00.0313	7240.00.0321	7241.00.0613	7241.00.0621	7242.00.1113	7242.00.1121
Double Panel 180°						
Panel length	1500 / 1500mm		1500 / 2000mm		2000 / 2000mm	
Number of perforated/slotted panels	3 / 3		4 / 3		4 / 4	
Panel colour	Light grey	Gentian blue	Light grey	Gentian blue	Light grey	Gentian blue
Panel height 1500 mm	7211.00.2313	7211.00.2321	7212.00.3013	7212.00.3021	7213.00.3913	7213.00.3921
Panel height 2000 mm	7246.00.2313	7246.00.2321	7247.00.3013	7247.00.3021	7248.00.3913	7248.00.3921
Double Panel 90°						
Panel length	1000 / 1000mm		1000 / 1500mm		1000 / 2000mm	
Number of perforated/slotted panels	2 / 2		3 / 2		3 / 3	
Panel colour	Light grey	Gentian blue	Light grey	Gentian blue	Light grey	Gentian blue
Panel height 1500 mm	7225.00.1113	7225.00.1121	7226.00.1613	7226.00.1621	7227.00.2313	7227.00.2321
Panel height 2000 mm	7260.00.1113	7260.00.1121	7261.00.1613	7261.00.1621	7262.00.2313	7262.00.2321
Double Panel 90°						
Panel length	1500 / 1500mm		1500 / 2000mm		2000 / 2000mm	
Number of perforated/slotted panels	4 / 2		4 / 3		4 / 4	
Panel colour	Light grey	Gentian blue	Light grey	Gentian blue	Light grey	Gentian blue
Panel height 1500 mm	7228.00.2213	7228.00.2221	7229.00.3013	7229.00.3021	7230.00.3913	7230.00.3921
Panel height 2000 mm	7263.00.2213	7263.00.2221	7264.00.3013	7264.00.3021	7265.00.3913	7265.00.3921



WERKS® Partitions

These WERKS® partitions can be fitted with WERKS® perforated or slotted panels or a combination of the two and are designed specifically for workplaces in which tools and small parts, such as fasteners and other similar objects, must be kept at hand.

- Modular structure, in four heights.
- Subsequent modification or exchange of perforated and slotted panels is possible.
- Impact and scratch resistant plastic coating.
- Free standing module light grey.
- Single or double versions available.



Size 2:
Height 760 mm
1 perforated and
1 slotted panels

Size 3:
Height 1,100 mm
2 perforated and
1 slotted panels

Size 4:
Height 1,450 mm
2 perforated and
2 slotted panels

Size 5:
Height 1,790 mm
4 perforated and
1 slotted panels


Size 5 Double sided:
Height 1,790 mm
8 perforated and
2 slotted panels

WERKS® Partitions

Without fittings	Size 2		Size 3		Size 4		Size 5	
Single-sided - D 240 mm	H 760 x W 1000 mm		H 1100 x W 1000 mm		H 1450 x W 1000 mm		H 1790 x W 1000 mm	
Perforated panels	2	1	2	1	3	2	3	4
Slotted panels	---	1	1	2	1	2	2	1
Light grey	7002.00.0113	7002.00.0313	7003.00.0413	7003.00.0513	7004.00.1113	7004.00.1013	7005.00.1613	7005.00.1513
Gentian blue	7002.00.0316	7002.00.0316	7003.00.0416	7003.00.0516	7004.00.1116	7004.00.1016	7005.00.1616	7005.00.1516
Double-sided - D 430 mm	H 760 x W 1000 mm		H 1100 x W 1000 mm		H 1450 x W 1000 mm		H 1790 x W 1000 mm	
Perforated panels	2	4	2	4	4	6	8	6
Slotted panels	2	---	4	2	4	2	2	4
Light grey	7006.00.1013	7006.00.0813	7007.00.2413	7007.00.2213	7008.00.3913	7008.00.3713	7009.00.4613	7009.00.4813
Gentian blue	7006.00.1016	7006.00.0816	7007.00.2416	7007.00.2216	7008.00.3916	7008.00.3716	7009.00.4616	7009.00.4816

The modular construction of the WERKS® Partitions

The assembly of the WERKS® Partitions is simple and easy due to the flexible and intelligent modular construction. The WERKS® Partitions are made up of a standing module plus WERKS® perforated and/or slotted panels.



Single free-standing module, without panels

Size	H mm	Max. number of panels high	Code
2	760	2	7002.00.0013
3	1100	3	7003.00.0013
4	1450	4	7004.00.0013
5	1790	5	7005.00.0013

Double free-standing module, without panels

Size	H mm	Max. number of panels high	Code
2	760	2/2	7006.00.0013
3	1100	3/3	7007.00.0013
4	1450	4/4	7008.00.0013
5	1790	5/5	7009.00.0013

WERKS® Component and Workshop Trolleys

Mobile storage for material and tools in workshop, production and assembly area

- Modular design with 3 different heights.
- Alterations such as exchanging slotted or perforated panels are possible any time.
- Impact and scratch-proof plastic coating.
- Wheel module light grey; panels light blue.
- Slotted or perforated panels on both sides.

The practical component trolley

For various working applications. The material required is always clearly sorted and within easy reach. Mobile use saves extensive walking since even bulky items can be transported where needed.



Ergonomic Handle



18 Piece Kit
Code:
9810.00.0002



Standard with 2 steering castors and 2 fixed castors.
Optional: Steering castor with brake

Trolley - Size 2

H 890 x W 1000 x D 500 mm

Without fittings	Light grey	Gentian blue
4 perforated panels	7020.00.0813	7020.00.0816
2 perf/2 slot panels	7020.00.1013	7020.00.1016

Trolley - Size 3

H 1230 x W 1000 x D 500 mm

Without fittings	Light grey	Gentian blue
6 perforated panels	7021.00.1913	7021.00.1916
6 slotted panels	7121.00.2013	---
4 perf/2 slot panels	7021.00.2213	7021.00.2216
2 perf/4 slot panels	7021.00.2413	7021.00.2416
4 perf panels	---	7121.00.086
2 perf/2 slot panels	---	7121.00.1016

Trolley - Size 4

H 1580 x W 1000 x D 500 mm

Without fittings	Light grey	Gentian blue
8 perforated panels	7022.00.3413	7022.00.3416
6 perf/2 slot panels	7022.00.3713	7022.00.3716
4 perf/4 slot panels	7022.00.3913	7022.00.3916
2 perf/6 slot panels	7022.00.4113	7022.00.4116



Fittings example only




Fittings example only



Fittings example only



Fittings example only



Fittings example only

Trolley Size 2

H 890 x W 1000 x D 500 mm

- 8 x Size 7 open front bins.
- 7 x Tool holder - angled hook.
- 4 x Size 8 open front bins.

Trolley Size 3

H 1230 x W 1000 x D 500 mm

- 1 x Forked bracket
- 1 x Universal holder, round
- 1 x Universal holder, square
- 1 x Tube support
- 2 x Pin support
- 2 x Corrugated supports
- 1 x Shelf 1000 mm

Trolley Size 3

H 1230 x W 1000 x D 500 mm

- 1 x Tool holder selection 12-piece
- 1 x Open front box holder 990 mm
- 8 x Size 7, open front bins
- 3 x Size 2, open front bins

Trolley Size 3

H 1230 x W 1000 x D 500 mm

- 1 x Tool holder section, 10-piece
- 2 x Open front bin holder
- 2 x Corrugated supports
- 6 x Size 7, open front bins
- 2 x Size 8, open front bins
- 3 x Transport containers
- 400 x 300 x H 220 mm

Trolley Size 4

H 1580 x W 1000 x D 500 mm

- 9 x Size 7 Open front bins
- 2 x Pipe brackets
- 1 x Universal round holder
- 1 x 500 x 250mm Steel shelf
- 8 x Tool holder- angled hooks
- 7 x Tool holder- vertical hooks
- 6 x Double tool holder - vertical
- 3 x Tool holder
- 2 x Saw holder
- 1 x Horizontal spanner holder
- 1 x Drill holder
- 1 x Screwdriver holder

WERKS® modular perforated panels



H 343 x W 1000 mm

Light grey	7065.00.0013
Gentian blue	7065.00.0021

WERKS® modular slotted panels

H 343 x W 1000 mm

Light grey	7066.00.0013
Gentian blue	7066.00.0021



WERKS® Workplace Tool Cabinets

The attractive modern design means that these models can be used anywhere. Not just in warehouses and workshops, but also in offices and counter units in sales rooms and shops. Due to the universal and coordinated dimensions, the cabinets can be extended and combined as you choose.

- Solid steel panel construction.
- Impact and scratch resistant coating.
- Light grey body.
- Strengthened double-walled doors.
- Opening angle of over 180°.
- Doors with perforated or slotted panels.
- Drawers on bearing slides.
- Double wall drawer linings.
- Pressed drawer bases.
- Galvanised shelves.
- Removable steel shelving for the S model.
- Security cylinder lock.
- Additional group or main keys available.



Model 1
1801.01.3016
Picture shown with 1 extra shelf



Model 2
1801.02.3016



Model 3
1801.03.0016



Model 4
1802.01.6016
Picture shown with 1 extra shelf

WERKS® Workplace cabinets				
H 1000 x D 500 mm	W 500 mm			W 1000 mm
Model	1	2	3	4
Drawers	1	3	9	2
Drawers can be locked centrally	No	Yes	Yes	Yes
Shelves	1	1	-	1
Door construction	Perforated panel	Perforated panel	1 - 3	Perforated and Slotted panel
Door colour Gentian Blue	1801.01.3016	1801.02.3016	1801.03.0016	1802.01.6016
Shelves, galvanised	2310.00.0005	2310.00.0005	-	2311.00.0005

WERKS® Workplace Tool Cabinets Accessories



Mobile chassis, 500 x 500mm
light grey 1801.00.1213
gentian blue 1801.00.1221



Corrugated rubber insert
For cabinet Black
W 500 mm 1801.00.1458
W 1000 mm 1802.00.1458



Group or main keys
Group key small lock 9805.00.0003
Group key large lock 9805.00.0005
Main key 9805.00.0004





Console unit, 500 x 500 mm
Shelf top gentian blue 1801.00.1316



Drawer divider set Galvanised
1801.00.1505

WERKS® Wall Cabinets



These stable, lockable wall-mounted cabinets are fitted internally with WERKS® perforated and slotted panel system. This offering the option to store small sets of tools, possibly even with the range of spare parts, in a space-saving and neat manner directly at or above the workbench.

- Impact and scratch resistant coating.
- Light grey body.
- Rear wall with WERKS® system perforations.
- Spacers for secure wall mounting.
- Opening angle of over 180°
- Perforated and slotted panel doors.
- Security cylinder lock.
- Additional group or main keys available.

WERKS® Workplace cabinets

Without fittings	H 620 x W 920 x D 335 mm		
Model	10	20	30
Rear wall	Perf. panel	Perf. panel	Perf. panel
Door inside	Perf. panel	Slotted panel	Perf. panel
Inner doors	--	--	Perf. panel
Door colour light grey	1120.00.3013	1120.00.4013	1122.00.3013
Door colour gentian blue	1120.00.3016	1120.00.4016	1122.00.3016



Inner doors on model 30 can also be fitted on the rear with WERKS® tool holders.



Secure wall fixing by means four steel cylinder spacers welded to the rear of the unit.

WERKS® Tool Cabinets

This cabinet was designed specifically to provide neat, and above all, secure storage for high-quality tools and devices. A large range of different holders that can be slotted into the slats on the rear wall ensure organisation and neat storage of the tools.

- Solid steel sheet construction.
- Impact and scratch resistant coating.
- Light grey body.
- Rear wall with WERKS® slotted panel.
- Smooth fronts with flushed doors.
- Opening angle of over 200°.
- Connecting rods throughout.
- Reinforced doors.
- Perspex Window Doors.
- Triple security cylinder lock.
- Additional group or main keys available.

Height 1950 mm
Width 1000 mm
Depth 410 mm



Perspex Window Doors



Solid Steel doors

WERKS® Workplace cabinets

H 1950 x W 1000 x D 410 mm

Solid Steel Doors

light grey	1353.10.1013
gentian blue	1353.10.1016

Perspex Window Doors

light grey	1353.10.5013
gentian blue	1353.10.5016

WERKS® High Capacity Cabinets with open-front bins

These especially roomy and high-quality high-capacity cabinets combine all the basic components of the RasterPlan programme. From mounting grids and perforated panels on the interior doors to flexible drawer and shelf inserts to the open-front bins.

- Stable sheet steel construction.
- Impact and scratch-resistant plastic coating.
- Light grey.
- Flush fronts due to pre-assembled doors.
- Opening angle over 200°.
- Connecting rods throughout.
- Strengthened double-wall doors.
- Doors with perforated panels and mounting grids.
- Double side walls.
- Fully opening drawers with telescopic guides.
- Can be subsequently fitted out if required.
- Loading capacity of drawers 50 kg p.d.l..
- Galvanised shelving.
- Loading capacity 50kg p.d.l.
- Adjustability on 10mm grid.
- Triple security cylinder lock.
- Additional group or main keys available on request.

Dimensions:
Height 1950mm
Width 1130mm
Depth 590mm



Model 14



Heavy-duty cabinets					
Model	11	12	14	23	24
Drawers					
Drawer position	---	---	---	Bottom	Bottom
Number of drawers	---	---	---	1	2
Shelves					
Depth 250 mm	7	9	3	4	5
Depth 340 mm	3	2	2	3	3
Depth 530 mm	---	---	3	2	1
Number of bins in the body					
Size 1	---	---	---	---	---
Size 2	---	---	9	6	---
Size 3	---	---	5	---	---
Size 4	20	5	---	10	20
Size 5	---	14	14	7	---
Size 6	28	28	14	14	21
Size 7	30	50	10	20	20
Door option with perforated panels					
Order Cd.	1780.02.3013	1780.03.3013	1780.05.3013	1780.10.3013	1780.11.3013
Door option with perforated panels/mounting grid					
Open-front bins					
Size 6	40	40	40	40	40
Size 7	32	32	32	32	32
Order Cd.	1780.02.4013	1780.03.4013	1780.05.4013	1780.10.4013	1780.11.4013



Fully opening drawers with telescopic guides



Rigid double-walled steel door with two wings



Continuous door hinge



Free choice of shelving height



Internal door with holes and slits



Internal door with perforated panel




Closing rod



Triple security cylinder lock with recessed handle

WERKS® High Capacity Cabinets with open-front bins

OPEN-FRONT BINS



Secure hanging.
The special construction of the hanging rail makes it possible to hang up and remove the bins absolutely level when full so that no contents are spilt in the process.



Dimensions of the open-front bins:

- Size 1: L 500 x W 300 x H 250mm
- Size 2: L 500 x W 300 x H 200mm
- Size 3: L 350 x W 200 x H 200mm
- Size 4: L 350 x W 200 x H 150mm
- Size 5: L 290 x W 140 x H 130mm
- Size 6: L 230 x W 140 x H 130mm
- Size 7: L 160 x W 105 x H 75mm
- Size 8: L 85 x W 105 x H 45mm



Single Drawer

Height 125mm | 2988.00.5713



Drawer Partition

Bin size 8 | 2988.00.9800




Drawer Partition

Made of thin sheeting | 2988.00.6105




Model 14



High-capacity cabinets					
Model	21	22	30	32	35
Drawers					
Drawer position	At the bottom	At the bottom	At the bottom	In the middle	In the middle
Number of drawers	3	4	1	2	3
Shelves					
Depth 250 mm	4	3	4	3	1
Depth 340 mm	3	3	---	1	2
Depth 530 mm	1	1	3	2	2
Number of bins in the body					
Size 1	---	---	---	6	---
Size 2	3	---	9	---	6
Size 3	---	---	---	---	10
Size 4	10	15	5	10	---
Size 5	7	7	---	---	7
Size 6	14	14	28	14	7
Size 7	20	10	---	10	---
Door option with perforated panels					
Order Cd.	1780.08.3013	1780.12.3013	1780.13.3013	1780.15.3013	1780.18.3013
Door option with perforated panels/mounting grid					
Open-front bins					
Size 7	40	40	40	40	40
Size 8	32	32	32	32	32
Order Cd.	1780.08.4013	1780.12.4013	1780.13.4013	1780.15.4013	1780.18.4013

WERKS® High Capacity Cabinets

These especially roomy and high-quality high-capacity cabinets combine all the basic components of the RasterPlan programme. From grid and perforated panels on the interior doors to flexible drawer and shelf inserts to the open-front bins. The fact that the drawers are adjustable also permits storage of larger parts such as Euro transport containers in the lower part of the cabinet.



Fully-retractable telescopic single drawer

Rigid double-walled steel door with two wings

Doors with mounting grids/perforated panels

Doors with mounting grids




61

High-capacity cabinets with open-front bins and Euro-transport containers

H 1950 x W 1130 x D 590 mm

Model	60	61	62			
Drawer 125 mm	1	2	3			
Shelves						
Depth 250	3	2	1			
Depth 3400	1	2	3			
Depth 530	3	2	3			
Body with open-front bins						
Size 4	1	2	3			
Size 5	1	2	3			
Size 6	1	2	3			
Size 7	1	2	3			
Body with Euro-transport container L 400 x W 300 mm						
Height 120 mm	1	2	3			
Height 220 mm	1	2	3			
Door with open-front bins						
Door option	Perforated panel	Perf. panel / mounting grid	Perforated panel	Perf. panel / mounting grid	Perforated panel	Perf. panel / mounting grid
Size 7	---	40	---	40	---	40
Size 8	---	32	---	32	---	32
Light grey	1780.19.3013	1780.19.4013	1780.20.3013	1780.20.4013	1780.21.3013	1780.21.4013



60

61

62

Dimensions of the open-front bins:
 Size 1: L 500 x W 300 x H 250mm
 Size 2: L 500 x W 300 x H 200mm
 Size 3: L 350 x W 200 x H 200mm
 Size 4: L 350 x W 200 x H 150mm
 Size 5: L 290 x W 140 x H 130mm
 Size 6: L 230 x W 140 x H 130mm
 Size 7: L 160 x W 105 x H 75mm
 Size 8: L 85 x W 105 x H 45mm

WERKS® Transport Trolleys

and high-capacity trolleys with Euro-transport containers

Side-cars and order-picking trolleys

Wherever items need to be collected from different places, whether work supplies or product orders, side-cars and order-picking trolleys have become indispensable aids.

- Stable steel construction.
- Impact and scratch-resistant plastic coating.
- Gentian blue.
- A choice of straight or (in part) sloping shelves.
- Easily accessible castors.



30



34



32



36

Side-Cars and Order-Picking Trolleys

H 1950 x W 1130 x D 590 mm

Model	30	31	32	33	34	35	36	37
Shelves	2 straight shelves / 2 sloping shelves				4 straight shelves			
Euro-transport container H 120 mm	---	6	4	2	---	6	4	2
Euro-transport container H 220 mm	---	2	4	6	---	2	4	6
Trolley colour RAL 5010 gentian blue	7702.00.0221	7702.01.0221	7702.02.0221	7702.03.0221	7702.00.0121	7702.01.0121	7702.02.0121	7702.03.0121

WERKS® High Capacity Cabinets

This well made WERKS® high capacity cabinet offers optimal and effective use of space with flexible drawer and shelf options. The WERKS® perforated panel doors make possible the addition of tool holders taken from the wide range of accessories.

- Solid steel sheet construction.
- Impact and scratch resistant coating.
- Light grey body.
- Smooth fronts with flushed doors.
- Opening angle of over 200°.
- Connecting rods throughout.
- Double wall strengthened doors.
- Perforated panel doors.
- Fully opening drawers with telescopic guides.
- Load capacity of drawers 50kg (evenly spread load).
- Galvanised shelves.
- Loading capacity 50kg (evenly spread load).
- Adjustable 10mm grid.
- Three bolt security cylinder lock.
- Additional group or main keys available.

Accessories



Drawer divider
2988.01.6105



Single drawer
H: 125 mm
2988.01.5713



Shelf 530 mm
2482.01.0305

Height 1950mm
Width 1000mm
Depth 410mm



WERKS® High Capacity Cabinets			
H 1950 x W 1130 x D 590 mm			
Drawer – H 125 mm	---	1	3
Shelves – D 530 mm	4	3	3
Perforated Panel Doors			
Light grey	1785.01.3013	1785.02.3013	1785.03.3013
Gentian blue	1785.01.3016	1785.02.3016	1785.03.3016

WERKS® Tool Cabinets

Whenever it is necessary to securely and neatly store tools, small parts and expensive tools, these robust tool cabinets in the familiar WERKS® quality is the ideal solution.

- Solid steel sheet construction.
- Impact and scratch resistant coating.
- Light grey body.
- Rear wall with WERKS® system perforations.
- Smooth fronts with flushed doors.
- Opening angle of over 200°.
- Connecting rods throughout.
- Double wall strengthened doors.
- Perforated and slotted panel doors.
- Perspex Window Doors (only cabinets with height of 1950 mm).
- Galvanised shelves.
- Loading capacity 80 kg (evenly spread load).
- Adjustable 10 mm grid.
- Three bolt security cylinder lock.
- Additional group or main key available.



WERKS® Tool Cabinets



1950 mm high cabinet with Perspex Window Doors and 2 shelves




1950 mm high cabinet with perforated panel doors and 2 shelves



1950 mm high cabinet with Perspex Window Doors closed

Extra shelf for tool cabinets	
Depth 410 mm	Depth 500 mm
2439.00.0305	2440.00.0305



	Tool Cabinets					
	H 1000 x W 1000 mm		H 1600 x W 1000 mm		H 1950xW1000mm	
Depth mm	410	500	410	500	410	500
Shelves	---	---	1	1	2	2
Perforated panel doors						
Light grey	1331.00.3013	1333.00.3013	1335.01.3013	1337.01.3013	1352.01.3013	1354.01.3013
Gentian blue	1331.00.3016	1333.00.3016	1335.01.3016	1337.01.3016	1352.01.3016	1354.01.3016
Slotted panel doors						
Light grey	1331.00.4013	1333.00.4013	1335.01.4013	1337.01.4013	1352.01.4013	1354.01.4013
Gentian blue	1331.00.4016	1333.00.4016	1335.01.4016	1337.01.4016	1352.01.4016	1354.01.4016
Glass doors						
Light grey	---	---	---	---	1352.01.5013	1354.01.5013
Gentian blue	---	---	---	---	1352.01.5016	1354.01.5016

WERKS® Drawer Cabinets

WERKS® drawer cabinets are ideal solutions for professional, practical storage and organisation of valuable tools and materials and can be individually fitted with drawers and integrated workbench surfaces. Wall or floor anchoring is recommended.



Perspex Window Doors



Doors with perforated panels



Doors with slotted panels

- Solid steel sheet construction.
- Impact and scratch resistant coating.
- Light grey body.
- Rear wall with WERKS® perforations or slotted panel.
- Smooth fronts with flushed doors.
- Opening angle of over 200°.
- Connecting rods throughout.
- Double wall strengthened doors.
- Fully opening drawers with telescopic guides.
- Load Capacity of drawers 110kg (evenly spread load).
- Galvanised shelves.
- Loading capacity 80kg (evenly spread load).
- Adjustable 25mm grid.
- Triple bolt security cylinder lock.
- Additional group or main keys available.



Drawer dividers




Ergonomic handlebar with labelling pad



Multi-canted shelf support



Adjustability on 25 mm grid



Rigid double-walled steel doors



Connecting rods throughout



Plywood workbench top

Drawer Cabinets

H 1950 x W 1000 x D 600 mm

Equipment								
Work bench shelf	---	---	---	---	1	1	1	1
Drawer H 100	---	2	3	4	2	3	4	9
Shelves	---	3	2	2	2	1	1	---
WERKS® Drawer cabinet, doors with perforated panels								
Model	10	11	12	13	14	15	16	17
Door/drawer colour								
Light grey	1460.00.3013	1460.01.3013	1460.02.3013	1460.03.3013	1460.04.3013	1460.05.3013	1460.06.3013	1460.07.3013
Gentian blue	1460.00.3016	1460.01.3016	1460.02.3016	1460.03.3016	1460.04.3016	1460.05.3016	1460.06.3016	1460.07.3016
WERKS® Drawer cabinet, doors with slotted panel								
Model	20	21	22	23	24	25	26	27
Door/drawer colour								
Light grey	1460.00.4013	1460.01.4013	1460.02.4013	1460.03.4013	1460.04.4013	1460.05.4013	1460.06.4013	1460.07.4013
Gentian blue	1460.00.4016	1460.01.4016	1460.02.4016	1460.03.4016	1460.04.4016	1460.05.4016	1460.06.4016	1460.07.4016
WERKS® Drawer cabinet, Perspex Window Doors								
Model	30	31	32	33	34	35	36	37
Door/drawer colour								
Light grey	1460.00.5013	1460.01.5013	1460.02.5013	1460.03.5013	1460.04.5013	1460.05.5013	1460.06.5013	1460.07.5013
Gentian blue	1460.00.5016	1460.01.5016	1460.02.5016	1460.03.5016	1460.04.5016	1460.05.5016	1460.06.5016	1460.07.5016

Additional accessories

Drawer, light grey	Item number
H 100 mm	2987.00.5713
H 125 mm	2987.00.5813
H 175 mm	2987.00.5913
Drawer, gentian blue	
H 100 mm	2987.00.5721
H 125 mm	2987.00.5821
H 175 mm	2987.00.5921
Drawer divider galvanised	
H 100 mm	2987.00.6105
H 125 mm	2987.00.6205
H 175 mm	2987.00.6305
Drawer lock	
	2987.00.7000
Work bench shelf	
	2441.00.0891
Shelves, galvanised	
	2441.00.0305
Floor mounting set	
	9803.00.0001

WERKS® Heavy Duty Cabinet 1.65 Tonne Capacity

A cabinet for serious heavy loads. All of the models in our heavy duty range have one thing in common - they are capable of load capacity of up to 1.65T. The cabinet floor alone carries up to 400kg (evenly spread load) This means that these heavy duty cabinets are particularly suitable for storing heavy tools, such as embossing or cutting dies. We recommend wall or floor anchoring. Extremely stable, welded steel construction hard soldered at the corners.

- Impact and scratch resistant coating.
- Light grey body.
- Smooth fronts with flushed doors.
- Opening angle of over 200°.
- Connecting rods throughout.
- Double wall strengthened doors.
- Perforated and slotted panel doors.
- Perspex Window Doors.
- Fully opening drawers with telescopic guides.
- Loading capacity of drawers 110kg (evenly spread load).
- Galvanised shelves.
- Loading capacity 160kg (evenly spread load).
- Adjustable 25mm grid.
- Triple bolt security cylinder lock.
- Additional group or main keys available.



Model 41



Model 42



Model 43



Model 44



Model 61



Model 62



Model 62



Multi-canted shelf support



Wall anchoring



Floor anchoring



Adjustability on 25 mm grid



Sidewall cladding



Shelf with supports



Model 44

Heavy duty cabinets without central partitioning

Accessories for heavy duty cabinets without central partitioning

Extra Drawer light grey	
H 100 mm, W 1000 mm	2987.00.5713
H 125 mm, W 1000 mm	2987.00.5813
H 175 mm, W 1000 mm	2987.00.5913
Extra Drawer gentian blue	
H 100 mm, W 1000 mm	2987.00.5721
H 125 mm, W 1000 mm	2987.00.5821
H 175 mm, W 1000 mm	2987.00.5921
Drawer divider galvanised	
H 100 mm, W 1000 mm	2987.00.6105
H 125 mm, W 1000 mm	2987.00.6205
H 175 mm, W 1000 mm	2987.00.6305
Drawer locking mechanism	2987.00.7000
Shelf W 1000 mm, 160 kg	2441.00.0405
Floor anchoring set	9803.00.0001

Heavy duty cabinets without central partitioning						
H x W x D	1950 x 1000 x 600mm			1110 x 1000 x 600mm		
Model	41	42	43	44	61	62
Fittings / Load Capacity						
Shelf W 1000 mm, 160 kg	4	3	3	2	1	---
Drawer H 100 x W 1000 mm, 110 kg	---	---	1	1	2	2
Drawer H 125 x W 1000 mm, 110 kg	---	---	2	2	---	1
Drawer H 175 x W 1000 mm, 110 kg	---	2	---	2	---	1
Double wall doors						
Light grey	1462.02.2013	1462.04.2013	1462.06.2013	1462.08.2013	1471.01.2013	1471.03.2013
Gentian blue	1462.02.2016	1462.04.2016	1462.06.2016	1462.08.2016	1471.01.2016	1471.03.2016



Pull-out shelf

Galvanised, full pull-out Makes handling heavy items easier
For heavy duty cabinets without central partitioning
W 1000, 110 kg 2442.00.0405

WERKS® Heavy Duty Cabinet 1.65 Tonne Capacity

An additional centre separating wall helps to organise the heavy duty cabinet. With an overall load capacity of 1.65T. We recommend wall or floor anchoring.

- Extremely stable, welded steel constructed body with hard soldering at the corners.
- Body with centre separating wall.
- Impact and scratch resistant coating.
- Light grey body.
- Smooth fronts with flushed doors.
- Opening angle of over 200°.
- Connecting rods throughout.
- Double wall strengthened doors.
- Perforated and slotted panel doors.
- Perspex Window Doors.
- Fully opening drawers with telescopic guides.
- Load capacity of drawers 110kg (evenly spread load).
- Can be retrofitted if required.
- Galvanised shelves.
- Loading capacity 80kg (evenly spread load).
- Adjustable 25 mm grid.
- Triple bolt security cylinder lock.
- Additional group or main keys available.



Model 71



Model 53




Model 51



Model 52



Drawer partitions




Rigid double-walled steel doors



Model 53



Model 54



Connecting rods throughout



Retractable shelf



Model 71



Model 72



Fully opening drawers with telescopic guides



Triple security cylinder lock with counter-sunk twist grip

Heavy duty cabinets without central partitioning

Accessories for heavy duty cabinets with centre dividing wall

Extra Drawer light grey

H 100 mm, W 500 mm	2985.00.5713
H 125 mm, W 500 mm	2985.00.5813
H 175 mm, W 500 mm	2985.00.5913

Extra Drawer Gentian blue

H 100 mm, W 500 mm	2985.00.5721
H 125 mm, W 500 mm	2985.00.5821
H 175 mm, W 500 mm	2985.00.5921

Drawer Divider Set

H 100 mm, W 500 mm	2985.00.6105
H 125 mm, W 500 mm	2985.00.6205
H 175 mm, W 500 mm	2985.00.6305

Drawer locking mechanism 2987.00.7000

Right Shelf W 500 mm, 80kg 2464.00.6805

Left Shelf W 500 mm, 80kg 2464.00.6605

Floor anchoring set 9803.00.0001

Heavy duty cabinets with central partitioning

H x W x D	1950 x 1000 x 600mm			1110 x 1000 x 600mm		
Model	51	52	53	54	71	72
Fittings / Load Capacity						
Shelf W 500 mm, 80 kg	6	6	6	6	2	---
Drawer H 100 x W 500 mm, 110 kg	---	---	---	4	2	---
Drawer H 125 x W 500 mm, 110 kg	---	---	6	---	2	16
Drawer H 175 x W 500 mm, 110 kg	---	4	---	4	2	---
Double wall doors						
Light grey	1463.02.2013	1463.04.2013	1463.06.2013	1463.08.2013	1472.01.2013	1472.03.2013
Gentian blue	1463.02.2016	1463.04.2016	1463.06.2016	1463.08.2016	1472.01.2016	1472.03.2016



Side wall cladding

H 455 x W 400 mm	
light grey	Item no.:
Left side	2420.00.5513
Right side	2422.00.5513

WERKS® Vertical Drawer Cabinets

Tools, key profiles, etc, are stored in a small space and are always within reach. The vertical cabinets are equipped either only with sliding panels or with a combination of steel shelves and drawers. Wall or floor anchoring is recommended.

- Solid steel sheet construction.
- Impact and scratch resistant coating.
- Light grey body.
- Flush fronts due to pre-assembled doors.
- Opening angle of over 200°.
- Connecting rods throughout.
- Strengthened double-wall doors.
- Doors with perforated panels.
- Perspex window doors.
- Fully opening drawers with telescopic guides.
- Can be subsequently fitted out if required.
- Loading capacity of drawers 110 kg (evenly spread load).
- Vertical telescopic guides. May be fully withdrawn, with standard double-sided perforations.
- Withdrawal load 100 kg (evenly spread load).
- Useable area: 428 x 1720 mm / 12 x 46 holes.
- Useable depth 90 mm each side.
- Galvanised shelves.
- Load-capacity 80 kg (evenly spread load).
- Adjustability on 25 mm grid.
- Triple security cylinder lock.
- Additional group or main keys available on request.



Model 81



Model 83



Model 83



Wall anchoring



Floor anchoring



Retractable shelf 500. Galvanised, fully retractable. Facilitates the handling of heavy components



Various practical door options

Side wall cladding

H 455 x W 400mm

Standard perforations, simple internal hanging on side walls of drawers, vertical and heavy duty cabinets for WERKS™ tool holders

For WERKS® tool holders	Item no.:
light grey left side	2420.00.5513
light grey right side	2422.00.5513



Accessories for vertical cabinets

Colour	Light grey	Gentian blue	Galvanized
Shelf W 500 mm, 80 kg at right	2464.00.6813	---	2464.00.6805
Retractable shelf W 500mm, 110 kg	---	---	2465.00.0405
Drawer H 100 x W 500mm, 110 kg	2985.00.5713	2985.00.5721	---
Drawer H 125 x W 500mm, 110 kg	2985.00.5813	2985.00.5821	---
Drawer H 175 x W 500mm, 110 kg	2985.00.5913	2985.00.5921	---
Partition set for drawer H 100mm	---	---	2985.00.6105
Partition set for drawer H 125mm	---	---	2985.00.6205
Partition set for drawer H 175mm	---	---	2985.00.6305
Drawer lock - anti-tilt mechanism	---	---	2987.00.7000
Floor anchoring set	---	---	9803.00.0001

Vertical cabinets

H 1950 x W 1000 x D 600 mm

Model	80	81	82	83
Shelf W 1000 mm, 160kg	2	2	2	4
Fittings / Load Capacity				
Shelf W 500 mm, 80kg	3	3	3	---
Drawer H 100 x W 500 mm, 110 kg	---	---	1	1
Drawer H 175 x W 500 mm, 110 kg	---	---	2	2
Double-walled doors				
Light grey	1465.01.2013	1465.02.2013	1465.03.2013	1464.01.2013
Gentian blue	1465.01.2016	1465.02.2016	1465.03.2016	1464.01.2016
Doors with perforated panels				
Light grey	1465.01.3013	1465.02.3013	1465.03.3013	1464.01.3013
Gentian blue	1465.01.3016	1465.02.3016	1465.03.3016	1464.01.3016
Perspex window doors				
Light grey	1465.01.5013	1465.02.5013	1465.03.5013	1464.01.5013
Gentian blue	1465.01.5016	1465.02.5016	1465.03.5016	1464.01.5016

WERKS® Cabinets


Shock and scratch-proof plastic coating, housing light grey, front light blue. Vertical drawers telescope-guided. 100% extension, hole panels on both sides. Load capacity 100 kg at equal distribution, draw stop. Effective area 428 x 1720 mm / 12 x 46 holes. Effective depth 50 mm per side. Security cylinder lock.

Note: Accessories for perforated Panels

Cabinets		
Dimensions H x W x D mm	Number of drawers	83522
2000 x 400 x 600	2	1901.00.0116
2000 x 720 x 600	4	1902.00.0516



1901.00.0116



1902.00.0516

WERKS® Tool Cabinets with Retractable Panels

Shock and scratch-proof plastic coating, housing light grey, front panels light blue. Vertical drawers on special telescope rails, 100% extension. Load capacity 200 kg at equal distribution, draw stop. Effective area 428 x 1640 mm / 12 x 44 holes. Effective depth 200 mm each side. Security cylinder lock.

Application

The particularly space-saving solution for securely and clearly storing tools, powered hand tools and small devices.

Tools and accessories not included.



1912.00.0716 - 0816



1910.00.0116 - 0916

Dimensions H x W x D	Drawers with perforated panel	Drawers with slotted panel	Code
2000 x 590 x 600mm	1	---	1912.00.0716
2000 x 590 x 600mm	---	1	1912.00.0816
2000 x 1100 x 600mm	2	---	1910.00.0116
2000 x 1100 x 600mm	---	2	1910.00.0216
2000 x 1100 x 600mm	1	1	1910.00.0916


WERKS® Mega Bench

The WERKS® MegaBench has been designed, engineered and manufactured in Australia to cope with the extreme demands of the Mining Industry. With an individual proof load test capacity of 6000kg, the Megabench is an essential part of every workshop.

- Capable of handling extreme loads.
- Concealed lifting lugs/eyes.
- Forklift pockets for easy manoeuvrability.
- Available in Galvanised or Painted finish.



Mega Bench				
Code	Length	Width	Height	Capacity
1800WMB	1800mm	900mm	920mm	6000kg
2100WMB	2100mm	900mm	920mm	6000kg
2500WMB	2500mm	900mm	920mm	6000kg



High tensile fixings	20mm thick steel top	Anchoring points	Reinforced framework	Fork pockets	Under shelf 500kg capacity


Capable of handling extreme loads.

Concealed lifting lugs/eyes.

Forklift pockets for easy manoeuvrability.

WERKS® Standing Aids

Standing Aids promote health and serve to assist the performance and productivity of your staff. Legs, back muscles and spine in particular are helped when performing tasks that require standing. Height adjustable 550 to 900mm Breathable, tough and decorative covers made of skai, fabric or wood. Seat and back rest are made of formed, multiple glued beech plywood sheeting. Multiple layers of air-circulating foam padding.



Wood, Beech



Skai black



Fabric dark grey




Fabric dark blue patterned



Fabric light grey patterned

WERKS® Standing Aids

Padding / Cover	Frame colour			
	Light grey	Jet black	Traffic red	Aluminium colour
Beech	8101.00.1413	8101.00.1415	8101.00.1414	8101.00.1401
Skai black	8101.00.1013	8101.00.1015	8101.00.1014	8101.00.1001
Fabric dark grey	8101.00.1113	8101.00.1115	8101.00.1114	8101.00.1101
Fabric dark blue patterned	8101.00.1213	8101.00.1215	8101.00.1214	8101.00.1201
Fabric light grey patterned	8101.00.1313	8101.00.1315	8101.00.1314	8101.00.1301



WERKS® 3000 Standing Aids

The WERKS® 3000 Standing Aids combines modern design with ergonomic function for people at work. Seat and back rest are continuously adjustable to any height thanks to ergonomically formed thumb screw.

The frame feet are fitted with jackscrews and ensure that the unit can be set up securely. Height adjustable 600 to 900mm Comfortable seat and large back rest.

Height adjustable seat and back rest from 600 - 900mm.

Breathable and tough covers. Multiple layers of air-circulating foam padding.

WERKS® 3000 Standing Aids

Padding / Cover	Frame colour	
	Grey aluminium	Jet black
Skai black	8201.00.3020	8201.00.3015
Fabric light grey	8201.00.3120	8201.00.3115
Fabric blue	8201.00.3220	8201.00.3215
Fabric beige / brown	8201.00.3420	8201.00.3415
Techno cover	8201.00.3320	8201.00.3315
Foot rest, black	8215.00.0015	



Fabric beige/brown



Fabric light grey



Techno cover





Skai black



Fabric blue





Customer Service Call: 1300 305 314

Email: sales@backsafe-australia.com.au

Website: www.backsafe-australia.com.au